

TECHNICAL DATA

Fluke 941 Light Meter



Key features

- Measure in lux or foot-candles, with one button to switch between display options
- Measuring range up to 200,000 Lux or 20,000 foot candles
- Data hold to freeze reading on the digital display
- Min/max ability to show high and low readings
- Auto power off to save battery life
- Includes protective sensor cap

Product overview: Fluke 941 Light Meter

Designed for use in multiple environments, the Fluke 941 light meter is easy to use and provides clear data display for a variety of applications.

The Fluke 941 is a handheld luminometer than can measure visible light sent from a variety of light sources, to include fluorescent, metal halide, high pressure sodium, or incandescent lamps. With an extension cord to the light meter and separate display the Fluke 941 provides a handheld tool to accurately measure light in multiple environments. The Fluke 941 is a portable tool that measures light up to 20,000 fc of lux with an accuracy of .01 fc/lux.

Applications:

Clean room environments, agriculture, HVAC operations Room illumination assessment as part of environmental health




and safety reviews Light source quality and troubleshooting

Specifications: Fluke 941 Light Meter



Ordering information



Fluke 941

Fluke 941 Light Meter

- 941 luminometer
- 9V battery
- User manual



Fluke. Keeping your world up and running.®

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation.

Specifications subject to change without notice.

09/2025

Modification of this document is not permitted without written permission from Fluke Corporation.